



34506115.ST25.txt
SEQUENCE LISTING

COPY OF PAPERS
ORIGINALLY FILED

<110> Niles, Andrew L
Haak-Frendscho, Mary
Harris, Jennifer L
Craik, Charles S

<120> Tryptase Substrates and Assay For Tryptase Activity
Using Same

<130> 34506.116

<140> Filed Herewith

<141> 2001-10-03

<150> 60/244,013

<151> 2000-10-27

<150> 09/955,639

<151> 2001-09-19

<160> 23

<170> PatentIn version 3.1

<210> 1

<211> 4

<212> PRT

<213> Artificial

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa at position 2 is Arg (R) or Lysine (K)

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa at position 3 is any amino acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa at position 4 is Arg (R) or Lys (K)

<400> 1

Pro Xaa Xaa Xaa
1

<210> 2
<211> 4
<212> PRT
<213> Artificial

<400> 2

Pro Arg Asn Lys
1

<210> 3
<211> 4
<212> PRT
<213> Artificial

<400> 3

Pro Lys Asn Lys
1

<210> 4
<211> 4
<212> PRT
<213> Artificial

<400> 4

Pro Arg Asn Arg
1

<210> 5
<211> 4
<212> PRT
<213> Artificial

<400> 5

Pro Lys Asn Arg
1

<210> 6
<211> 4
<212> PRT
<213> Artificial

<400> 6

Pro Ala Asn Lys
1

<210> 7
<211> 4
<212> PRT
<213> Artificial

<400> 7

Pro Arg Thr Lys
1

<210> 8
<211> 4
<212> PRT
<213> Artificial

<400> 8

Pro Arg Phe Lys
1

<210> 9
<211> 4
<212> PRT
<213> Artificial

<400> 9

Thr Arg Leu Arg
1

<210> 10
<211> 4

<212> PRT
<213> Artificial

<400> 10

Ser Lys Gly Arg
1

<210> 11
<211> 4
<212> PRT
<213> Artificial

<400> 11

Pro Asn Asp Lys
1

<210> 12
<211> 4
<212> PRT
<213> Artificial

<220>
<221> MOD_RES
<222> (1)..(1)
<223> P at position 1 is modified to contain an N-terminal
acetyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> K at position 4 is modified to contain a C-terminal
7-amino-4-car
bamoylmethyl-coumarin group

<400> 12

Pro Arg Asn Lys
1

<210> 13
<211> 4

<212> PRT
<213> Artificial

<220>
<221> MOD_RES
<222> (1)..(1)
<223> P at position 1 is modified to include an N-terminal
acetyl group

<400> 13

Pro Arg Asn Lys
1

<210> 14
<211> 4
<212> PRT
<213> Artificial

<220>
<221> MOD_RES
<222> (1)..(1)
<223> P at position 1 is modified to include an N-terminal
acetyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> K at position 4 is modified to include a C-terminal
chloromethyl
ketone group

<400> 14

Pro Arg Asn Lys
1

<210> 15
<211> 4
<212> PRT
<213> Artificial

<220>

<221> MOD_RES
<222> (1)..(1)
<223> P at position 1 is modified to include an N-terminal
acetyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> K at position 4 is modified to include a C-terminal
7-amino-4-car
bamoylmethyl-coumarin group

<400> 15

Pro Arg Asn Lys
1

<210> 16
<211> 4
<212> PRT
<213> Artificial

<220>
<221> MOD_RES
<222> (1)..(1)
<223> P at position 1 is modified to include an N-terminal
acetyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> K at position 4 is modified to include a C-terminal
7-amino-4-car
bamoylmethyl-coumarin group

<400> 16

Pro Arg Thr Lys
1

<210> 17
<211> 4

<212> PRT
<213> Artificial

<220>
<221> MOD_RES
<222> (1)..(1)
<223> P at position 1 is modified to include an N-terminal
acetyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> K at position 4 is modified to include a C-terminal
7-amino-4-car
bamoylmethyl-coumarin group

<400> 17

Pro Arg Asn Arg
1

<210> 18
<211> 4
<212> PRT
<213> Artificial

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (4)..(4)
<223> N-METHYLATION

<400> 18

Pro Arg Asn Lys
1

<210> 19

<211> 4
<212> PRT
<213> Artificial

<400> 19

Pro Arg Phe Lys
1

<210> 20
<211> 4
<212> PRT
<213> Artificial

<400> 20

Ile Arg Ser Lys
1

<210> 21
<211> 4
<212> PRT
<213> Artificial

<400> 21

Ser Lys Gly Arg
1

<210> 22
<211> 4
<212> PRT
<213> Artificial

<400> 22

Phe Arg Thr Lys
1

<210> 23
<211> 4
<212> PRT
<213> Artificial

34506115..ST25.txt

<400> 23

Ile Lys Thr Lys
1